Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	85	(725/23).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 14:24
L2	24	count and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:24
L3	80	number and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:24
L4	38	count\$3 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:24
L5	18	count\$3 and 1 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:25
L6	0	(bonus same number) and 1 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:25
L7	0	(bonus same count\$3) and 1 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:26
L8	4	(bonus) and 1 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:26

L9	29	((number or amount or count\$3) same (bonus or view\$3)) and 1 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:27
L10	2	((number or amount or count\$3) same (bonus)) and 1 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:51
L11	_ 1	((time) same (bonus)) and 1 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:52
L12	0	(bonus same (number with time)) and ("725"\$3.clas.) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:52
L13	0	(bonus same (number with time)) and ("725"\$4.clas.) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/04/14 14:53
L14	375	(bonus same (number with time)) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:53
L15	4	(reward same (number with time)) and ("725"\$4.clas.) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:55
L16	9	((bonus or reward) with time) and ("725"\$4.clas.) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:55

L17	0	(((bonus or reward) with time) same discount) and ("725"\$4.clas.) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:55
L18	1	(((bonus or reward) with time) same discount\$3) and ("725"\$4. clas.) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:00
L19	0	(slidebar with buffer with display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:01
L20	0	(slidebar with memory with display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:01
L21	0	(slidebar same memory same display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:01
L22	0	(slidebar same memory same display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:01
L23	0	(slidebar same (buffer or memory) same display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:01
L24	6907	(bar same (buffer or memory) same display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:02

L25	1738	(bar with (buffer or memory) with display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:02
L26	21	((status near3 bar) with (buffer or memory) with display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/04/14 15:05
L27	457	(((buffer or memory) near3 (usage)) with display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:05
L28	. 234	(((buffer or memory) near3 (usage)) with display\$3) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:05
L29	32	(((buffer) near3 (usage)) with display\$3) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:05
S1	4 92	(725/34,35).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 14:23
S2	0	S1 and (buffer near3 (underrun or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:34
S3	0	S1 and (buffer with (underrun or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:34

S4	0	S1 and (underun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:34
S5	0	S1 and (underrun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:34
S6	7065	((commercial or advertisement or ad) near3 insert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:35
S7	22	((commercial or advertisement or ad) near3 insert\$3) and (buffer near3 (underrun or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:41
S8	2	((commercial or advertisement or ad) near3 insert\$3) same (buffer near3 (empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:33
S9	3	((commercial or advertisement or ad) near3 insert\$3) same ((memory or buffer) near3 (empty or underrun or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:35
S10	84	((commercial or advertisement or ad) near3 insert\$3) and ((memory or buffer) near3 (empty or underrun or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:35
S11	46	((commercial or advertisement or ad) near3 insert\$3) and ((memory or buffer) near3 (empty or underrun or threshold)) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:40

S13	3	(((commercial or advertisement or	US-PGPUB;	OR	ON	2006/03/29 15:46
		ad) near3 insert\$3) same ((bandwidth or (transmission adj rate) or (reception adj rate)) with (threshold or lower))) and @ad<"20010327"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S14	1425	((ad or advertisement or commercial) with (memory or storage)) and ((memory or buffer) with (underflow or underrun or empty or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:47
S15	258	((ad or advertisement or commercial) near3 (memory or storage)) and ((memory or buffer) near3 (underflow or underrun or empty or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:47
S16	111	((ad or advertisement or commercial) near3 (memory or storage)) and ((memory or buffer) near3 (underflow or underrun or empty or threshold)) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:48
S17	1	((ad or advertisement or commercial) near3 (memory or storage)) and (((memory or buffer) near3 (underflow or underrun or empty or threshold)) with insert\$4) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:49
S18		((ad or advertisement or advertising or commercial) near3 (memory or storage)) and (((memory or buffer) near3 (underflow or underrun or empty or threshold)) with (ad or advertisement or advestising or commercial)) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:51
S19	2	((ad or advertisement or advertising or commercial) near3 (memory or storage)) and (((memory or buffer) near3 (underflow or underrun or empty or threshold)) with replac\$3) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:53
S20	257	(((memory or buffer) near3 (underflow or underrun or empty or threshold)) with replac\$3) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:53

S21	37	(((memory or buffer) near3 (underflow or underrun or empty or threshold)) with (insert\$3 or replac\$3)) and (movie or vod or nvod) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:57
S22	39	(((memory or buffer) near3 (underflow or underrun or empty or threshold)) with (play\$3 or display\$3)) and (movie or vod or nvod) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:05
S23	1	(((memory or buffer) near3 (underflow or underrun or empty or threshold)) with (play\$3 or display\$3) with alternat\$3) and (movie or vod or nvod) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:06
S24	8	(((memory or buffer) near3 (underflow or underrun or empty or threshold)) with (play\$3 or display\$3) with alternat\$3) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:08
S25	25	(((memory or buffer) near3 (underflow or underrun or empty or threshold)) same (play\$3 or display\$3) same (alternative)) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:10
S26	60	((commercial or advertisement or ad) near3 insert\$3) and ((bandwidth or (transmission adj rate) or (reception adj rate)) with (threshold or lower)) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 08:35
S27	7093	(alternative or image or advertisement or ad or commercial) same ((buffer or memory) near3 (empty or underrun or low\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:08
S28	3306	(alternative or image or advertisement or ad or commercial) with ((buffer or memory) near3 (empty or underrun or low\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:08

S29	722	((alternative or image or	US-PGPUB;	OR	ON	2006/04/02 14:08
		advertisement or ad or commercial) with ((buffer or memory) near3 (empty or underrun or low\$3))) and (television or catv or tv)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S30	492	((alternative or image or advertisement or ad or commercial) with ((buffer or memory) near3 (empty or underrun or low\$3))) and (television or catv or tv) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:09
S31	74	((alternative or image or advertisement or ad or commercial) with ((buffer or memory) near3 (empty or underrun))) and (television or catv or tv) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:09
S32	9	(((alternative or image or advertisement or ad or commercial) with ((buffer or memory) near3 (empty or underrun or low\$3))) same (receiver or stb or (set adj top adj box))) and (television or catv or tv) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:12
S33	1469	(alternative or image or advertisement or ad or commercial) same (transmission near3 interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:12
S34	0	(alternative or image or advertisement or ad or commercial) same (transmission near3 interrupt\$3) same ((buffer or memory) near3 underrun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:12
S35		(alternative or image or advertisement or ad or commercial) same (transmission near3 interrupt\$3) same ((buffer or memory) near3 empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:13
S36	205	(alternative or image or advertisement or ad or commercial) same (transmission near3 interrupt\$3) same ((buffer or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:13

S37	145	((alternative or image or advertisement or ad or commercial) same (transmission near3 interrupt\$3) same ((buffer or memory))) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:13
S38	77	((alternative or image or advertisement or ad or commercial) same ((transmission near3 interrupt\$3) with (buffer or memory))) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:14
S39	493	((alternative or image or advertisement or ad or commercial) same ((transmission near3 interrupt\$3) with (buffer or memory))) and @ad<"20010327" and vod or nvod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:14
S40	0	((alternative or image or advertisement or ad or commercial) same ((transmission near3 interrupt\$3) with (buffer or memory))) and @ad<"20010327" and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:14
S41	0	((alternative or image or advertisement or ad or commercial) same ((transmission near3 interrupt\$3) with (buffer or memory))) and @ad<"20010327" and (movie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:14
S42	4	((alternative or image or advertisement or ad or commercial) same (receiver or stb or (set adj top adj box)) same ((transmission near3 interrupt\$3) with (buffer or memory))) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:15
S43	12	((ad or advertisement or commercial) with insert\$3) same (transmission with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:17
S44	1046	(725/32-36).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/02 14:18

S45	14	S44 and (transmission near3 interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:20
S46	0	S44 and (underrun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:26
S47	0	S44 and (underun)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:20
S48	257	S44 and (buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:20
S49	17	S44 and (buffer with (empty or low))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:21
S50	4	S44 and (buffer with (threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:22
S51	538	((commercial or ad or advertisement) with insert\$3) same (interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:22
S52	12	((commercial or ad or advertisement) with insert\$3) same (transmission with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:37

S53	1	((commercial or ad or advertisement) with insert\$3) same (underrun or underfow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:23
S54	20	((commercial or ad or advertisement) with insert\$3) same (underrun or underflow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:29
S55	9	S44 and (underflow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:26
S56	15	((commercial or ad or advertisement) with splic\$3) same (underrun or underflow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:30
S57	24	((commercial or ad or advertisement)) same ((underrun or underflow) near3 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:31
S58	14	((commercial or ad or advertisement) with insert\$3) same (stream with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 15:13
S59	72	(vod or nvod) and (buffer near3 (underrun or underflow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:40
S60	· 29	(vod or nvod) and (buffer near3 (underrun or underflow)) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:46

S61	11	(paus\$3 with (buffer near3 (underrun or underflow))) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:51
S62	1	(paus\$3 with (receiver with (underrun or underflow))) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 14:52
S63	188	S44 and (paus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 15:10
S64	47	S44 and (paus\$3) and vod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 15:11
S65	10	S44 and (paus\$3) and vod and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 15:11
S66	127	((commercial or ad or advertisement) with insert\$3) and (vod or (video adj on adj demand)) and (paus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 15:14
S67	30	((commercial or ad or advertisement) with insert\$3) and (vod or (video adj on adj demand)) and (paus\$3) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 15:20
S68	29	(((commercial or ad or advertisement) with insert\$3) same (paus\$3)) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:15

				1		
S69	102	S44 and (bonus or reward or discount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:15
S70	23	S44 and ((bonus or reward or discount) with (number or count\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:36
S71	37	S44 and (inhibit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:36
S72	17	S44 and (inhibit\$3) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:43
S73	5	S44 and (display near3 buffer) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:43
S74	19	(vod or (video adj on adj demand)) and (paus\$3 with bar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/02 16:46
S75	40	(dvr or pvr or (digital adj video adj recorder) or (personal adj video adj recorder)) and (paus\$3 with bar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:46